

## **Catch Basin**

## CONCRETE

Terry Lane Glocester, RI 02814 (401) 568-8874


CPCB







## **TOP VIEW**



- Reinforcing A.S.T.M. A185 Area 0.21 in. vertically ft. Reinforcing in bell & spigot.
- Concrete compressive strength 4000 P.S.I. Type II cement.
- Base Section will be cast monolithic.
- . Method of manufacture: Wet cast.
- Manhole Steps are made of co-polymer polypropylene. This material conforms to A.S.T.M. 4P01-82 PP200B33450Z02. (The previous standard of A.S.T.M. 2146-82, Type II Grade 43758 was replace by D4101-82).
- Pipe openings as required for pipe diameter through 24".